


moda

2

Patterns

Wallhanging &  
Table Topper



*Chapel in the Pines*

Deb Strain

# Chapel in the Pines

Deb Strain



Wallhanging  
35" x 52"



Table Topper  
40" x 40"

## Quilter Basics

- ★ Read instructions before beginning a project.
- ★ All instructions include a 1/4" seam allowance.
- ★ Label each group of cut pieces.
- ★ Press as you go. Press seams in one direction toward the darker fabric whenever possible.

## Cutting Directions

### WALLHANGING

### TABLE TOPPER

#### Fabric # 1 – Panel

Cut: 1 rectangle 40½" x 22½" with  
"Chapel in the Pines" picture centered.

#### Fabric #2

Cut: 1 strip, 6½" x WOF  
Subcut: 4 squares 6½" x 6½"

#### Fabric #3 – Carefully cut in exact sequence, wallhanging first, to conserve fabric.

Cut: 4 strips, 2¼" x WOF  
Subcut: 2 strips 2¼" x 40½"  
for Border #1 sides and  
2 strips 2¼" x 22½"  
Border #1 top and bottom

Cut: 1 strip 2½" x WOF  
Subcut: 4 squares 2½" x 2½" for  
pieced corner squares  
Cut: 4 strips ¾" x WOF  
Subcut: 2 strips ¾" x 24½" for top and  
bottom Border #1 and  
2 strips ¾" x 24" for Border #1 sides

## Fabric #4

Cut: 4 strips, 1¼" x WOF  
 Subcut: 2 strips 1¼" x 40½" for Border #2 sides  
 2 strips 1¼" x 22½" for  
 Border #2 top and bottom

## Fabric #5

Cut: 4 strips, 4" x WOF  
 Subcut: 24 squares 4" x 4" for Border #3  
 4 rectangles 4" x 10" for  
 Border #3 sides and  
 4 rectangles 4" x 1" for  
 Border #3 top and bottom

Cut: 2 strips, 2½" x WOF  
 Subcut: 4 rectangles 2½" x 6½" for  
 pieced corner squares and  
 4 rectangles 2½" x 8½" for  
 pieced corner squares

## Fabric #6

Cut: 3 strips, 4" x WOF  
 Subcut: 12 rectangles 4" x 7½" for Border #3

Cut: 2 strips, 2½" x WOF  
 Subcut: 4 strips 2½" x 4½" for  
 pieced corner squares and  
 4 strips 2½" x 6½" for  
 pieced corner squares

## Fabric #7

1 square, 24" x 24" for table topper center

## Fabric #8

Fussy cut 4 lengths of stripes (select the same pattern each time) to measure 8½" x 24½" for table topper border

## Fabric #9

Cut: 1 strip 2½" x WOF  
 Subcut: 4 squares 2½" x 2½" for  
 pieced corner squares and  
 4 rectangles 2½" x 4½" for pieced corner squares

From Binding fabric, cut:  
 Bias strips 2¼" wide. Piece together, end to end, to yield  
 186" for wallhanging and 172" for table topper.


## Construction

### Wallhanging

#### FLYING GEESE BORDER UNITS – FABRICS #5, AND #6 – MAKE 12 units

1. To make flying geese units, draw a diagonal pencil line, from corner to corner, on the wrong side of Fabric #5 squares (4" x 4"). With right sides together, place a marked square on one corner of a Fabric #6 rectangle (4" x 7½") – match corners. Note the direction of the drawn line. Stitch a thread's width beside the drawn line on the corner side. Press the smaller square corner back to match the outside corner. Trim away the two bottom layers leaving a ¼" seam.
2. Repeat same method with a second Fabric #5 square on the opposite end of the Fabric #6 rectangle.

## Flying Geese Unit – Make 12



3. Sew 3 flying geese units together, end to end. Make 4 sections.  
*Note: the tips of the triangles should always face the same direction.*
4. To each end of 2 flying geese sections, sew a Fabric #5 rectangle (4" x 10"). To each end of the remaining 2 sections, sew a Fabric #5 rectangle (1" x 4").



Make 4 Sections

### BORDER UNITS– FABRICS #3, AND #4

1. Join the 22½" Fabric #3 and Fabric #4 strips together. Then add the shorter flying geese border strip. *Note: Red triangle tips should face the red and white stripe.*
2. Join the 40½" Fabric #3 and Fabric #4 strips together. Then add the remaining flying geese border strip. *Note: Red triangle tips should face the red and white stripe.*

### ASSEMBLE WALLHANGING

1. Sew side borders to the center panel. *Note the direction of the red triangle tips.*
2. Sew Fabric #2 corner squares to each end of the top and bottom border unit. Join to quilt. *Note the direction of the red triangle tips.*

*Note direction of triangles.  
Red tips should face the center  
of the wallhanging.*



*moda*

## Table Topper


---

### STEP 1:

Sew Fabric #3 borders to Fabric #7 table top center – sides first then top and bottom.

### STEP 2: PIECED CORNER SQUARES

1. To the Fabric #3 (gold), 2½" x 2½" base square, join a Fabric #9 square and then rectangle as shown. Press seams away from gold square.
2. Continue to add Fabric #6 and Fabric #5 strips in the same manner as shown.



### STEP 3: ASSEMBLE TABLE TOPPER

1. Join stripe Fabric #8 to sides of sewn center square. *Note direction of the stripes.*
2. Sew pieced corner squares on each end of remaining 2 stripe borders.  
*Note the direction of the corner squares. The gold square should always appear toward the center of the topper.*


## Finishing

---

1. Prepare the binding. Press binding strips in half lengthwise with wrong sides together.
2. To quilt, layer and baste the quilt top, batting and backing. Quilt by machine or by hand. Apply the prepared binding to quilt.



# Swatches



Fabric #1 – Panel



Fabric #2



Fabric #3



Fabric #4



Fabric #5



Fabric #6



Fabric #7



Fabric #8



Fabric #9



## Fabric Requirements for Both Wallhanging and Table Topper

Fabric 1 Panel –19085-11	$\frac{2}{3}$ yd	Fabric 6 –19090-11	$\frac{5}{8}$ yd
Fabric 2 –19092-12	$\frac{1}{4}$ yd	Fabric 7 –19087-13	$\frac{3}{4}$ yd
Fabric 3 –19095-15	$\frac{1}{2}$ yd	Fabric 8 –19086-11	1 yds
Fabric 4 –19093-18	$\frac{1}{4}$ yd	Fabric 9 –19094-13	$\frac{1}{8}$ yd
Fabric 5 –19089-12	$\frac{2}{3}$ yd	Binding –19094-11	1 yd

moda

PS 19085 — SUGGESTED RETAIL \$2.00